



**MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES,  
NASHIK**

**INFRASTRUCTURE DETAILS**

Sr. No.	Particulars to be verified	Details on College Website	Adequate/ Inadequate
<b>College</b>			
1	<p><b>Land details:</b> Total land, owner, unitary or not, NA of all land, 7/12 extracts of all land (<b>Applicable only to Private Colleges</b>). (Verify land documents &amp; Government permissions documents are uploaded on College Website. No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).</p>	Yes	<b>Adequate</b>
2	<p><b>Total constructed area of college building</b></p> <p><b>(I) Administrative Section:</b> Total Area <b>200</b> sq.ft (which includes) Principal Room, P.A. Room, Reception cue Visitors lounge, Meeting hall, Account section, Record and Central store etc.</p> <p><b>(II) Lecture Halls:</b> <b>a) Total No. of Lecture Halls -11</b> <b>b) IT enabled, Audio / Video teaching Aids Available</b> <b>c) Total area for lecture Halls -10999.89 Sq.ft</b></p> <p><b>(III) Seminar or Conference or Examination Hall:</b> <b>a) Total Area 4000 Sq.ft. b) Total Seating Capacity . . . . .</b> <b>c) Audio / Video System and Other Facilities Available</b></p> <p><b>(IV) Central Library:</b> <b>a) Total Area: 1800 sq.ft. Total No. of Books -3157</b> Distribution of books <b>2800</b> Capacity of Reading Hall :<b>100</b> for Students <b>-100</b> for Teachers <b>-20</b> No. of Scientific Journals <b>-05</b> No. of News Papers <b>-04</b></p>	Yes	<b>Adequate</b>
		Yes	<b>Adequate</b>
		Yes	<b>Adequate</b>
		Yes	<b>Adequate</b>



Photo Copier Machine -02 Drinking water & Washrooms-03

**b) Digital Library :**

No. of Computers -04 Internet Facility - Available

**(V) Teaching Departments:**

There shall be Five Teaching Departments as per MSR No. of departments-2500 Departmental Area,

No. of Books/ Charts / Models / Spacimens (dry and wet) / Museum in each Department information to be uploaded on college website.

**(VI) Laboratories :**

**Laboratories: As per MSR 1327 Sq.ft.)**

Nursing Foundation and Medical Surgical Nursing Lab -1500 (1500 Sq.ft.),

CHN-900 (900 Sq.ft.),

Nutrition -800 (900Sq.ft.),

OBG and Paediatric

900(900Sq.ft.),

Pre-Clinical Science-100

(900Sq.ft.),

Advanced Nursing Skill Lab 700 (900Sq.ft.),

Computer Lab-900 (1500Sq.ft.), with 25 computer as per Intake capacity, AV Aids

750 (600Sq.ft.), well Equipped Lab must have Mannequins, Articles & Beds as per MSR & INC Norms

**(VII) Auditorium:- (As per MSR)**

Auditorium should be spacious enough to accommodate at least double the sanctioned/actual strength of students, so that it can be utilized for hosting functions of the college, educational conferences/ workshops, examinations etc. It should have proper stage with green room facilities. It should be well – ventilated and have proper lighting system. There should be arrangements for the use of all kinds of basic and advanced audio-visual aids.

**OR**

**Multipurpose Hall:-**

College of Nursing should have multipurpose hall, if there is no auditorium.

Yes

**Adequate**

Yes

**Adequate**

Yes

**Adequate**

	<b>(VIII) Canteen and Kitchen Facility:</b> [Note: Verify Canteen Facility & Hygiene is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes	Adequate
	<b>(IX) Common Rooms:</b> Separate common rooms for boys and girls with adequate space and sitting arrangement shall be available.	Yes	Adequate
3	<b>University Examination Infrastructure:</b> Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility	Yes	Adequate
4	<b>Other facilities:</b> Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor, Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility, Is there any LMS (learning management system software) available	Yes	Adequate
5	<b>Hostel facility:</b> Boys (UG & PG), Girls (UG & PG), Interns, Residents, Warden/ Rector, Hygiene, Vending Machine etc.	Yes	Adequate
<b>Hospital</b>			
6	<b>Hospital Details</b>	<b>Details on College Website</b>	<b>Adequate/ Inadequate</b>
	<b>Name of the Hospital :Uma hospital and research centre jath</b>	Yes/No	Adequate
	<b>Address:Sangli Road Jtah</b>		
	<b>Telephone No. 02344247240:</b>		
	<b>Bed Strength :295</b>		
	<b>Distance of Hospital from the College to which it is attached (in 1 kms)</b>	-	Adequate
	<b>Number of beds registered as per BNH Act-295</b>	Yes	Adequate
7	<b>I. Total constructed area of Hospital Building as per MSR (.....Sq.mtr. / Sq.ft.)</b> Whether the Hospital is Owned by the College / Management or Rented ?	Yes	Adequate
	<b>II. Hospital Administration Block as per MSR</b> (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes	Adequate
	<b>III. Out–Patient Departments (OPD) as per MSR</b> Total Area of OPD Complex ... Sq.ft. No. of OPD's ..... Facilities shall be as per MSR & all details shall be on college website.	Yes	Adequate
	<b>IV. In Patient Departments (IPD) as per MSR</b> Total Area of IPD Complex ... Sq.ft. No. of IPD Departments..... Bed Distribution..... Facilities shall be as per MSR & all details shall be on college website.	Yes	Adequate
	<b>V. Operation Theatres Block as per MSR</b> Total Area of OT Block ... sq.ft. No.of OTs available ..... Facilities shall be as per MSR & all details shall be on college website.	Yes	Adequate
	<b>VI. Casualty Facilities</b> State Government Permission Letter	Yes	Adequate
	<b>VII. Central Clinical Laboratory:</b> Well-equipped with separate sections for Pathology, Biochemistry and Micro-biology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be provided.	Yes	Adequate
	<b>VIII. Radiology or Sonography Section:</b> Radiologist chamber, X-ray room, Dark room, film drying room, store room, patients waiting and dressing room, reception or registration or report room.	Yes	Adequate
	<b>IX. Labour Room :</b>	Yes	Adequate



  
**PRINCIPAL**  
 Uma Institute of Nursing Sciences, Jath, Dist-Sangli